

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 1 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
25007		LEAF BLOWER - HAND HELD ASSEMBLED, 69dB(A) AT 50 FT PER ANSI B 175.2-1996, DUAL-RING PISTON 21.2CC ENGINE, STOP SWITCH AND CRUISE CONTROL THROTTLE ON HAND GRIP. EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ECHO PB 250LN	10	EACH				
25012		SNOWBLOWER, 8 HP, 26" CLEARING PATH, TECUMSEH 4-CYCLE ENGINE, ELECTRIC IGNITION, 5 FORWARD & 2 REVERSE SPEEDS, THROWS SNOW 40-45' ONLY TORO 38801 WILL BE CONSIDERED AT THIS TIME	10	EACH				
25013		EDGER 3.5 HP BRIGGS I/C ENGINE, LOCKED CAST IRON CUTTER HEAD, DUAL DRIVE BELTS FOR NON-SLIP POWER TRANSMISSION TO THE BLADE, 3 QT FUEL TANK, HEAVYDUTY BLADE GUARD & MUD FLAP, CAN EDGE UP TO 4", REVERSIBLE 10" BLADE, 4 STEEL-HUBBED 8" WHEELS ONLY LITTLE WONDER MODEL 6033-00-01 WILL BE CONSIDERED AT THIS TIME	10	EACH				

Item Specification

Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 2 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
25014		<p>MOWER LAWN ROTARY 4 CYCLE HEAVY DUTY SELF PROPELLED THE MOWER REQUIRED HEREIN SHALL BE THE LATEST MODEL UNITS AVAILABLE ENGINE SHALL BE AT LEAST 5 HP WITH OVERHEAD VALVE DESIGN 4 CYCLE EQUIPPED WITH RECOIL STARTER ELECTRONIC IGNITION CRANKCASE OIL DIPSTICK AND FLYWHEEL BRAKING SYSTEM FULLY PRESSURIZED LUBRICATION WITH REMOVABLE OIL FILTER CUTTER BLADE SHALL BE OF FLAT HARP HARDENED HIGH CARBON STEEL AT LEAST 3/16" THICK HEIGHT OF CUT SHALL BE ADJUSTABLE FROM 1/2" TO 3 1/2" HOUSING SHALL BE CONSTRUCTED OF DIE CAST ALUMINIUM DECK BUILT TO WITHSTAND SEVERE SHOCK AND ROUGH TREATMENT DECK SHALL ALSO HAVE REAR DISCHARGE WITH DISCHARGE CHUTE, NO BAG. UNIT SHALL PROVIDE CLOSE TRIMMING ON ALL 3 SIDES. ALL MOWER WHEELS SHALL BE EQUIPPED WITH GREASE ABLE ZERK FITTINGS FOR EASE OF MAINTENANCE FRONT WHEELS WILL BE 8" REAR DRIVE WHEELS SHALL BE A MINIMUM 8" AND SHALL BE CONSTRUCTED OF STEEL WITH RUBBER TIRE SELF PROPELLED TYPE FOR REAR DRIVE OVER ALL ENTIRE MOWER SHALL BE HEAVY DUTY CONSTRUCTION TO PERFORM COMMERCIAL WORK</p> <p>EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS KAWASAKI 5 HP WITH PRESSURIZED LUBRICATION SYSTEM W/REMOVABLE OIL FILTER CARTRIDGE OR AS EXMARK METRO COMMERCIAL 21" MODEL ECSKA21</p>	25	EACH				

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 3 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
25015		MOWER MID SIZE COMMERCIAL WALK BEHIND, DECK SHALL BE A 48" CUTTING WIDTH WITH 3 BLADES AND SHALL BE CONSTRUCTED OF 10 GAUGE STEEL ONE PIECE WELDED DECK TRANSMISSION DRIVE 5 SPEED FORWARD 1 REVERSE TIRES SIZE 13 X 6.5 X 6 TURF TREAD WITH A 1" DIAMETER STEEL DRIVE AXLE ENGINE TO BE AIR COOLED GASOLINE 12 1/2 HP KAWASAKI SINGLE CYLINDER ENGINE EQUIPPED WITH PRESSURIZED LUBRICATION SYSTEMS AND REMOVABLE OIL FILTER CARTRIDGE FUEL TANK MUST BE AT LEAST 3 GALLON CAPACITY EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS JOHN DEERE; RANSOMES; BOBCAT; EXMARK MG481KA483	4	EACH				
25017		PLATFORM TO STAND ON FOR ITEM 25015 WALK BEHIND MOWER, VELKE EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS VK200-2B	5	EACH				
25019		HEDGE TRIMMER, GAS 30" ASSEMBLED, SINGLE SIDED 21.2 CC, DOUBLE RECIPROCATING CUTTER SEE-THROUGH FUEL TANK EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ECHO HCS-2810	10	EACH				

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 4 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
25020		WEED EATER GAS POWERED ASSEMBLED w/SHOULDER STRAP, DUAL RING PISTON COMMERCIAL-GRADE ENGINE, COMMERCIAL-GRADE AIR FILTRATION, LOW TONE MUFFLER, 30.5cc ENGINE DISPLACEMENT, 59" STRAIGHT SHAFT, SOLID STEEL DRIVE SHAFT, PRO-FIRE IGNITION, SEMI-AUTO CUTTING HEAD, 17" CUTTING SWATH, HEAVYDUTY DEBRIS SHIELD EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ECHO SMR 280S	10	EACH				
30121		LEAF BLOWER, HIGH OUTPUT, 8HP, BRIGGS IP ENGINE, PATENTED SPLIT ORIFICE DEFLECTOR ONLY LITTLE WONDER NO 9270-03-01 WILL BE CONSIDERED AT THIS TIME.	10	EACH				
30122		LEAF BLOWER, BACKPACK, FLEXIBLE SIDE-MOUNT HIP-THROTTLE W/CRUISE CONTROL, PADDED BACKREST AND EASY-TO-ADJUST SHOULDER STRAPS; FUEL CAPACITY 64 FL OZ, 44CC ENGINE DISPLACEMENT. **MUST MEET NOISE ORDINANCE, NO MORE THAN 65DB. ONLY ECHO PB-580T WILL BE CONSIDERED AT THIS TIME	5	EACH				
30123		EDGER POWER, SHAFT LENGTH 59", STICK EDGER ONLY ECHO PE-2620 WILL BE CONSIDERED AT THIS TIME	5	EACH				

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 5 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
30124		TRIMMER LINE 5 LB. SPOOL, DIAMETER .080"	100	SPOOL				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ECHO 315-08-052						
30125		BLADE, EDGER CUTTING, 10" LONG 1/2" HOLD	200	EACH				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS EB-10						
30226		TRIMMER LINE 5 LB. SPOOL, DIAMETER .095"	100	SPOOL				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ECHO 315-080-053						
36079		LAWN VACUUM WITH 27" NOZZLE. UNIT SHALL BE CREATED OF HIGH DENSITY PLASTIC TO IMPROVE AIRFLOW AND KEEP THE UNIT LIGHT AND MANEUVERABLE. UNIT SHALL HAVE 12" BALL BEARING WHEELS FOR LOW ROLLING RESISTANCE ON UNEVEN TERRAIN, 4-BLADE IMPELLER WITH 1/4" ARMOR PLATE STEEL TO REDUCE OVERALL BULK OF DEBRIS WHICH WILL EXTEND THE TIME BETWEEN BAGGING, AND A LARGE CAPACITY BAG THAT WILL HOLD 8 BUSHELS OF DEBRIS.	2	EACH				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS BILLYGOAT KV650H						

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 6 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
36289		MOWER, RIDING 25HP MOWER WITH ZERO-TURN RADIUS. TRACTOR FRAME SHALL BE WELDED, HEAVY-DUTY TUBULAR STEEL, STEERING AND MOTION CONTROL SHALL BE HYDRAULICALLY DAMPENED TWIN LEVERS WHICH SHALL ADJUST FORE AND AFT, FRONT CASTER TIRES SHALL BE 13X5.0-6 SMOOTH TREAD, PNEUMATIC WITH SEALANT IN TIRES, DRIVE TIRES 23X10.50-12 4-PLY (TURF MATE), SEAT SHALL HAVE VIBRATION CONTROL, PARKING BRAKE SHALL BE LEVER-ACTUATED DRUM AND BAND INTEGRATED WITH TRANSMISSION-NEUTRAL INTERLOCK. 11 GAL. TWIN FUEL TANKS. EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS EXMARK LZE740KC604	2	EACH				
39886		TRACTOR W/60" BLADE POWER ANGLE SNOW BLADE, 54" MOWER DECK EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS KUBOTA BX1870 (BX1970TV54, BX2763Z, BX2751)	5	EACH				
39887		TRACTOR W/LOADER QUICK ATTACH BUCKET, 60" LOADER MOUNTED MANUAL ANGLE SNOW BLADE, REAR WHEEL WEIGHTS, 54" MOWER DECK EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS KUBOTA BX 1870 (BX1870TV54, LA203A, BX2767, BX6315, 481000A)	5	EACH				

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 7 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
39975		ENCLOSED UTILITY/CARGO TRAILER 6' X 10'	1	EACH				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ARISING CARGO TRAILER, MODEL VSRW610						
39978		LOADER, SKID/TRACK LOADER WITH A/C CAB, HYDRAULIC BUCKET COUPLER, HIGH FLOW, 80" BUCKET WITH EDGE, ROTATING BEACON LIGHT AND AIR RIDE SEAT AND AUX ATTACHMENT WIRE HARNESS	2	EACH				
		ONLY KUBOTA SVL90-2HFC WITH S6608 80" LP BUCKET, S6678 BEACON LIGHT, S6679 SEAT & V0511-97010 AUX ATTACHMENT						
39979		MOWER, INDUSTRIAL WHEELED AND MOWER DECK	1	EACH				
		ONLY KUBOTA ZD326P-60 WITH RCK60P-331Z						
40719		SPREADER, WALK BEHIND 100 lb LOAD CAPACITY, GOOD FOR SAND, SALT, SEED AND ANY FREE FLOWING MATERIALS	5	EACH				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS MEYER HOTSHOT 100HD 38160						
40720		SPREADER, WALK BEHIND 70 lb LOAD CAPACITY, GOOD FOR SAND, SALT, SEED AND ANY FREE FLOWING MATERIALS	5	EACH				
		EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS MEYER HOTSHOT 70HD 38180						

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 8 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
------------------	-----------------------	-------------	--------------------	-------------	---------------	-------	-------	-----------------------------

41605		CHAINSAW WITH MICRO-LITE PRO 16" BAR LENGTH AND ALUMINUM WITH RUBBER HANDLE, ENGINE DISPLACEMENT 45 CC OR 2.75 CU IN, STARTING SYSTEM IGNITION SYSTEM STANDARD, IGNITION SYSTEM DIGITAL, CARBURETOR (WITH PURGE PUMP) BUTTERFLY-VALVE DIAPHRAGM, OILING SYSTEM AUTOMATIC/ADJUSTABLE CLUTCH-DRIVEN, VIBRATION REDUCTION SYSTEM STANDARD, BAR LENGTH 16". FUEL CAPACITY 15.2 FL OZ., OIL CAPACITY 9.5 FL OZ., DRY WEIGHT 11.2LB.	5	EACH				
-------	--	--	---	------	--	--	--	--

EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS: ECHO CS-450P

41606		CHAINSAW WITH PRO-LITE DOUBLE GUARD .326, 20" BAR LENGTH AND PLASTIC HANDLE, ENGINE DISPLACEMENT 54.1 CC OR 3.3 CU IN, STANDARD STARTING SYSTEM, DIGITAL IGNITION SYSTEM, CARBURETOR BUTTERFLY-VALVE DIAPHRAGM, OILING SYSTEM AUTOMATIC/ADJUSTABLE CLUTCH-DRIVEN, VIBRATION REDUCTION SYSTEM STANDARD, BAR LENGTH 20". FUEL CAPACITY 17.9 FL OZ., OIL CAPACITY 10.1 FL OZ., DRY WEIGHT 13.3LB.	5	EACH				
-------	--	--	---	------	--	--	--	--

EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS ECHO CS-550P

Item Specification
Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 9 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
41607		CHAINSAW WITH POWER MATCH 24" BAR LENGTH AND ALUMINUM WITH RUBBER HANDLE, ENGINE DISPLACEMENT 59.8 CC OR 3.65 CU IN, STANDARD STARTING SYSTEM, DIGITAL IGNITION SYSTEM, CARBURETOR BUTTERFLY VALVE DIAPHRAGM, OIL SYSTEM AUTOMATIC/ADJUSTABLE CLUTCH DRIVEN, VIBRATION REDUCTION SYSTEM STANDARD, BAR LENGTH 24". FUEL CAPACITY 21.8 FL OZ., OIL CAPACITY 10.1 FL OZ., DRY WEIGHT 13.3	5	EACH				
EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS: ECHO CS-600P								
41608		PRUNER, POWER PRUNER 12" BAR, ENGINE DISPLACEMENT 25.4 CC OR 1.55 CU IN, CARBURETOR ROTARY, FUEL CAPACITY 16.9, OIL CAPACITY 7.6, DRY WEIGHT 17.4 LBS.	5	EACH				
EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS: ECHO PPT-266								
41610		GENERATOR, PORTABLE, CYLINDER-OVERHEAD VALVE-AIR COOLED ENGINE, DISPLACEMENT 49.4, CC OUTPUT 120V 1000W MAX. (8.3A) 900W RATED SINGLE (7.5A), DRY WEIGHT 28.7 LBS. 17.7" L X 9.4" W X 15.0" H, RUN TIME PER TANKFUL 3.2 HOURS RATED LOAD AND 7.1 HOURS 1/4 LOAD	5	EACH				
EQUIPMENT OFFERED SHALL MEET OR EXCEED ALL THE SPECIFICATIONS AS: HONDA GXH50								

Item Specification

Lawn Maintenance Equipment

Bid No: 7112

From: 12/06/2020

09/16/2021

To: 12/05/2021

Page 10 of 10

51500

Company Name: _____

Group/ Seq No	Item/ Whse/ Old	Description	Quantity to Bid	Bid Unit	Unit Price	Brand	Model	Specification Deviations
	43649	POWER MAX HD 1030AHAE 30IN., 302CC 2-STAGE, 4 CYCLE	2	Each				

29 Items Sort Seq: Document Sequence No. within Group Number