## VisionAid Personal Protective Equipment Wipes



# WITH ALCOHOL Safety Data Sheet

Date of Issue: 02/04/2013

Revision date: according to Regulation (EC) No. 453/2010

05/15/2014:06/16/2016

Version: 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product form : Mixture

Product name : VisionAid PPE Wipes Contains Alcohol

Product code : 1LPPE200, 1LHW200, RW-100
Synonyms : VisionAid / Radians PPE Wipes

Product group : Consumer use

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses Intended

for general public

Main use category : Consumer use

Use of the substance/mixture : Cleaner

Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

VisionAid, Inc. 11 Kendrick Road Wareham, MA 02571

T 800-426-1881

www.visionaidinc.com

## 1.4. Emergency telephone number

Emergency number : 800-268-9017 - Poison Information Center

INFOTRAC

WITH Alcohol

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation OSHA (29CFR, 1910.1200)

Health Hazards :H303+H313+H333+H320 May be harmful

May be harmful if swallowed, comes in contact with skin or if

inhaled.

May cause minor eye irritation

Physical Hazards:

Other Hazards:

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

25/03/2013

EN (English)

1/8

#### 2.2. Label elements

Labelling according to Regulation OSHA (29CFR, 1910.1200)

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Hazard statements (CLP)

H320 - Causes eye irritation

Precautionary statements (CLP)

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

#### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

WITH Alcohol

#### 3.2. Mixture

Name	Product Identifier	%	Classification according to Regulation OSHA (29CFR, 1910.1200
Isopropyl alcohol	(CAS No.) 67-63-0	70	Combust. Liq. 2, H227 Eye Irrit. 2, H320
Propylene Glycol	(CAS No.) 57-55-6	6-12	Acute Tox. 4 (Oral), H303 Skin Irrit. 2, H316 Eye Irrit. 2, H320

Full text of P-, H- phrases: see section 16

### SECTION 4: First aid measures

## 4.1. Description of first aid measures

	Description of mist are	i ilicasules
First-aid	d measures general	: If m

First-aid measures after inhalation

: If medical advice is needed, have product container or label at hand.

: If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact

: Wash skin thoroughly with mild soap and water. Obtain medical attention if

irritation develops or persists.

First-aid measures after eye contact

: Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Obtain medical attention if irritation

develops or persists.

First-aid measures after ingestion

: Do not induce vomiting. Seek medical attention if a large amount is

swallowed.

## 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries :

Causes eye irritation.

Symptoms/injuries after inhalation

: Overexposure may be irritating to the respiratory system. In high

concentrations may cause narcotic effects. Symptoms may include dizziness,

headache, nausea and loss of co-ordination.

Symptoms/injuries after skin contact

: May cause mild skin irritation.

Symptoms/injuries after eye contact

: Causes eye irritation. Liquid and vapors may cause excess blinking and tear

production.

Symptoms/injuries after ingestion

: If a large quantity has been ingested : Headache. Nausea. Vomiting.

Abdominal pain.

Chronic symptoms

: Repeated or prolonged skin contact may cause dermatitis and defatting.

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Powder, alcohol-resistant foam, water spray, carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread

fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid. Under conditions of fire this material may produce:

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.

Explosion hazard : Product is not explosive.

Reactivity : Stable at ambient temperature and under normal conditions of use. Do not

heat above 80 °C (176 °F).

#### 5.3. Advice for firefighters

Firefighting instructions : Keep upwind. Do not breathe fumes from fires or vapours from

decomposition. Vapours may cause drowsiness and dizziness. Evacuate unnecessary personnel. On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water

WITH Alcohol

spray.

Protection during firefighting : Use normal individual fire protective equipment. Wear full fire-fighting

turnout gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear eye protection.

Emergency procedures : Eliminate ignition sources. Stop leak if safe to do so. Contain any spills

with dikes or absorbents to prevent migration and entry into sewers or

streams. Evacuate unnecessary personnel. Ventilate area.

#### 6.1.2. For emergency responders No

additional information available

#### 6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material, then place in suitable

container. Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

25/03/2013 EN (English) 4/10

WITH Alcohol

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. For large or bulk quantities, after absorption with inert material, collect spillage by sweeping up spilled material and place in a labeled, sealed container for proper disposal. Use only non-sparking tools. Practice good housekeeping - spillage can be slippery on smooth surface either wet or dry.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Handling large quantities of product: Proper grounding procedures to avoid static electricity should be followed. Keep away from heat and open

flame.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety procedures.

Wash hands thoroughly after handling. Read label before use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a dry, cool and well-ventilated place. Keep container closed when

not in use. Store away from direct sunlight or other heat sources. Protect

from freezing.

Incompatible materials

: Strong oxidizers.

Storage temperature

: < 40 °C (< 104 °F)

#### 7.3. Specific end use(s)

Cleaner

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Exposure Limits

Mixture has no listed exposure limits.

#### 8.2. Appropriate engineering controls

Good mechanical ventilation may be adequate formaintaing airborne concentrations below established exposure limits for large uncontrolled releases. If exposure limits are exceeded and inhaled: use a NOISH approved respirator.

#### 8.3 Individual protection measures and personal pretective equipment

General Hygiene

: Practice good industrial hygiene. Wash hands before breaks and at the

end of the workday. Keep product away from foodstuffs. Wash and

launder all contaminated clothing before reuse.

Hand protection

: Not required for normal conditions of use.

25/03/2013

EN (English)

WITH Alcohol

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

Eye protection: Not required for normal conditions of use. Skin and body protection

: Not required for normal conditions of use.

Respiratory protection : Not required for normal conditions of use. An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure

limits. Environmental exposure controls

: Ensure adequate ventilation, especially in confined areas.

Consumer exposure controls

: Not required for normal conditions of use.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear
Colour : Blue

Odour : Slight alcoholic
Odour threshold : No data available
pH : No data available
Relative evaporation rate : No data available

(butylacetate=1)

Melting point : -6 °C (21 °F)

Freezing point : No data available

Boiling point : 93 °C (200 °F)

Flash point : 82 °C (180 °F)

Self ignition temperature : 399 °C (750 °F) (Isopropanol)

Decomposition temperature : No data available Flammability (solid, gas) : No data available

Vapour pressure : 20 mm Hg (at 20 °C / 68 °F)

Relative vapour density at 20 °C : 1
Relative density : 0.98

Solubility : Water: Miscible
Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : None known.
Oxidising properties : None known.

Explosive limits : 2.5 - 12 vol % (Isopropanol)

#### 9.2. Other information

VOC content : 10 %

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use. Do not heat above 80 °C (176 °F).

#### 10.2. Chemical stability

Stable at standard temperature and pressure.

10.3. Possibility of hazardous reactions Hazardous polymerization will not occur.

10.4. Conditions to avoid Heat. Open flame.

#### 10.5. Incompatible materials

Strong oxidizers.

#### 10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Carbon monoxide. Carbon dioxide (CO2).

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

LC50 inhalation rat (mg/l) 72.6 mg/l (Exposure time: 4 h)

Sodium lauryl sulfate (151-21-3)	
LD50 oral rat	1288 mg/kg
LD50 dermal rabbit	580 mg/kg
LC50 inhalation rat (mg/l)	> 3900 mg/m³ (Exposure time: 1 h)

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

tective Wipes WITH Alcohol

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

Reproductive toxicity

: Not classified

Specific target organ toxicity (single

: Not classified

exposure)

Specific target organ toxicity (repeated: Not classified

exposure)

Aspiration hazard

: Not classified

## SECTION 12: Ecological information

#### 12.1. Toxicity

Isopropyl alcohol (67-63-0)	
LC50 fishes 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	> 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 other aquatic organisms 2	> 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

	Sodium	laury	l sulfate	(151-21-3)
--	--------	-------	-----------	------------

LC50 fishes 1

8 - 12.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

EC50 Daphnia 1

1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)

EC50 other aquatic organisms 1

53 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

Sodium lauryl sulfate (151-21-3)

LC50 fish 2

15 - 18.9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

EC50 other aquatic organisms 2

30 - 100 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)

#### 12.2. Persistence and degradability

#### VisionAid Rainbow Lens Cleaner

Persistence and degradability

Product is biodegradable.

#### 12.3. Bioaccumulative potential

VisionAid Rainbow Lens Cleaner						
	1/	icion	hi A	Dainhau	Lanc (	Claamar

Bioaccumulative potential

Not expected to bioaccumulate.

25/03/2013

EN (English)

WITH Alcohol

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

Isopropyl alcohol (67-63-0)

Log Pow 0.05 (at 25 °C)

Sodium lauryl sulfate (151-21-3)

BCF fish 1

(will not bioconcentrate)

Log Pow

1.6

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment No

additional information available

#### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Sewage disposal recommendations

: Do not dispose of waste into sewer.

Waste disposal recommendations

: Dispose of waste material in accordance with all local, regional, national,

and international regulations.

Additional information

: Empty containers may be recycled after cleaning.

#### SECTION 14: Transport information

#### 14.1. UN number

No dangerous good in sense of transport regulations.

#### 14.2. UN proper shipping name Not

applicable 14.3. Transport hazard

class(es) Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Other information

: No supplementary information available.

#### 14.6. Special precautions for user

#### 14.6.1. Overland transport

No additional information available

WITH Alcohol

Safety Data Sheet

according to Regulation OSHA (29CFR, 1910.1200)

#### 14.6.2. Transport by sea

No additional information available

#### 14.6.3. Air transport

No additional information available

## **SECTION 15: Regulatory information**

#### 15.1. United States Federal Regulations

SARA 302 components

: No ingredients are subject to reporting SARA

313 components

: Isopropyl Alcohol (CAS: 67-63-0)

#### 15.1.1. Specific State Regulations

Massachusetts Right to Know

: Isopropyl Alcohol (CAS: 67-63-0)

New Jersey Right to Know

: Isopropyl Alcohol (CAS: 67-63-0)

Pennsylvania Right to Know

: Isopropyl Alcohol (CAS: 67-63-0)

California Prop 65 components

:This product does not contain any chemicals known to the State of California to cause

Cancer, birth defects, or any other reproductive harm.

California ARB classification

: Anti-Static Product, Meets Callifornia BOV requirements

VOC content

: 10%

#### SECTION 16: Other information

#### Full text of H- + P- Phrases

H227	Combustable Liquid	
H303	Harmful if swallowed	
H313	Causes skin irritation	
H320	Causes serious eye irritation	
H333	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	
P305	If in eyes: rinse cautiously with water for several minutes	
P351	Remove contact lenses if present and easy to do	
P338	Continue rinsing for several minutes	
P337+P313	If eye irritation persists: Get medical advice/attention	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.